

①

2012 LG생명공학 경시대회 문제 답안지
배양 및 생물반응공학

1. a) $\mu = \frac{\ln(X_2/X_1)}{\Delta t} = \frac{\ln(1.6/1.5)}{1/6} = \boxed{0.39 \text{ hr}^{-1}}$

b) $t_d = \frac{\ln 2}{\mu} = \frac{\ln 2}{0.39} = \boxed{1.78 \text{ hr}}$

c) Monod eq'n ; $\mu = \frac{\mu_m S}{K_s + S}$

$\frac{1}{\mu} = \frac{K_s}{\mu_m} \frac{1}{S} + \frac{1}{\mu_m}$ ← use this eq'n for the curve fitting

Linear regression of $\frac{1}{S}$ against $\frac{1}{\mu}$ gives

$\frac{K_s}{\mu_m} = 20.93$ and $\frac{1}{\mu_m} = 0.494$

∴ $K_s = 42.29 \text{ g/L}$ $\mu_m = \boxed{2.02 \text{ hr}^{-1}}$

d) Calculate S at $\mu = 0.39 \text{ hr}^{-1}$

$0.39 = \frac{2.02 S}{42.29 + S}$ ∴ $S = \boxed{10.12 \text{ g/L}}$

e) glucose consumption = $\frac{6}{0.46} = 13.04 \text{ g/L}$

glucose conc. at [EtOH] = 6 g/L

= $20 - 13.04 = 6.96 \text{ g/L}$

$\mu = \frac{2.02 \times 6.96}{42.29 + 6.96} = \boxed{0.29 \text{ hr}^{-1}}$

$$2. a) F S_0 - F S = V \cdot r$$

F = feed flow rate, S = aspartate concentration

V = reactor volume, r = rxn rate

$$S_0 - S = \frac{V}{F} \times \frac{k_{cat}[E]_t S}{K_M + S}$$

$$0.2 - S = \frac{1}{10} \times \frac{100 \times 60 \times 100 \times 10^{-6} S}{0.01 + S}$$

$$0.2 - S = \frac{0.6 S}{0.1 + 10 S}$$

$$10 S^2 - 1.3 S - 0.02 = 0$$

$$S = 0.144 \text{ M}$$

$$\therefore \text{conversion} = \frac{0.2 - 0.144}{0.2} = \boxed{0.28 \text{ or } 28\%}$$

b) at 90% conversion, $S = 0.1 S_0 = 0.02 \text{ M}$


$$F = \frac{V}{S_0 - S} \times \frac{k_{cat}[E]_t S}{K_M + S}$$

$$= \frac{1}{0.2 - 0.02} \times \frac{100 \times 60 \times 100 \times 10^{-6} \times 0.02}{0.01 + 0.02}$$

$$= \boxed{2.2 \text{ L/hr}}$$

2

2012 LG생명공학 경시대회 문제 답안지
배양 및 생물반응공학



from the answer of problem a), $S_1 = 0.144 M$

at 90% total conversion, $S_2 = 0.1 S_0 = 0.02 M$

Doing the mass balance of aspartate for reactor 2. gives

$$V = \frac{F(S_1 - S_2)}{r_{S_2}} = 10 (0.144 - 0.02) \times \frac{0.01 + 0.02}{100 \times 10^6 \times 100 \times 10^6 \times 0.02}$$
$$= \boxed{3.1 L}$$